


Vehicle Detail Report

Jetour Shanghai T1 2024 1.5TD DHT 150KM
Toward the Sea

Basic Information

Brand	Jetour Shanghai
Mileage	20,500 km
Color	Silver-gray
First Registration	2024-12-01
Transfer Count	0

Vehicle Images





Vehicle Condition

1. Original metal body panels with factory paint.

Configuration Information

Model Information

Model Name	Jetour Shanghai T1 2024 150km Toward the Sea
Launch Date	2024.10

Basic parameters

Vehicle Class	Compact SUV
Energy Type	Plug-in Hybrid Electric Vehicle (PHEV)
Maximum Power (kW)	115

Basic parameters (continued)

Maximum Torque (N·m)	220
Transmission	1st DHT
Body Type	SUV
Engine	1.5T 156 horsepower L4
Dimensions (L×W×H) (mm)	4706*1967*1845
Official 0-100 km/h Acceleration (s)	-
Top Speed (km/h)	180
Curb Weight (kg)	2000
Maximum Gross Weight (kg)	2375
Fast Charging Time (h)	0.5
Slow Charging Time (h)	4
Electric Motor (PS)	204
Fast Charging Range (%)	30-80
WLTC Electric Range (km)	117
WLTP Combined Fuel Consumption (L/100km)	1.08
CLTC Electric Range (km)	150
Towing Capacity (kg)	1600
First Owner Warranty Policy	Lifetime Warranty/Non-operational (Liability Exemption Terms Subject to Official)
Battery slow charging capacity range (%)	30-100
Lowest state-of-charge fuel consumption (L/100km) WLTC	5.89

engine

Engine Model	SQRH4J15
Displacement (mL)	1499
Displacement (L)	1.5
Induction Type	Turbocharging
Cylinder Arrangement	L
Number of Cylinders	4
Valves per Cylinder	4

engine (continued)

Valve Train	DOHC
Maximum Power (PS)	156
Max Power Speed (rpm)	5200
Max Torque Speed (rpm)	2500
Maximum net power (kW)	105
Fuel Grade	92.
Fuel Delivery System	Direct injection
Cylinder Head Material	Aluminum alloy
Cylinder Block Material	Aluminum alloy
Engine layout	Horizontal

Electric Motor

Motor Type	Permanent magnet/synchronous
Total Electric Motor Power (kW)	150
Total Electric Motor Torque (N·m)	310
Front Electric Motor Max Power (kW)	150
Front Electric Motor Max Torque (N·m)	310
System total power (kW)	265
System comprehensive torque (N·m)	530
Number of drive motors	Single motor
Motor Layout	Front-end
Battery Type	Lithium iron phosphate battery
Battery Capacity (kWh)	26.7/27.2
Total Electric Motor Power (PS)	204
Battery Cell Brand	Contemporary Amperex Technology Co. Limited
Battery Cooling System	Liquid cooling
Power consumption per 100 kilometers (kWh/100km)	18.8
Fast charging function	Support
Slow charging port location	Rear right side of the car

Electric Motor (continued)

Warranty policy for first-time owners of Sandian	Lifetime Warranty/Non-operational (Liability Exemption Terms Subject to Official)
Fast charging port location	Rear right side of the car
External AC discharge power (kW)	6.6
Front motor model	KPTZ220YMDA0
Fast Charging Power (kW)	41
System Combined Horsepower (Ps)	360

Screen/System

Central control color screen	<ul style="list-style-type: none">• Touch LCD screen
Infotainment Screen Size	<ul style="list-style-type: none">• 15.6 inches
Bluetooth/In-car Phone	<ul style="list-style-type: none">•
Smartphone Integration/Mirroring	<ul style="list-style-type: none">• Apple CarPlay support;• HUAWEI HiCar support
Voice recognition control system	Multimedia system Navigation • Telephone • Air conditioning • Skylight Car window Seat heating Seat ventilation
Voice wake-up recognition by region	<ul style="list-style-type: none">• Four areas
App Store	<ul style="list-style-type: none">•
Voice assistant wake-up word	<ul style="list-style-type: none">• Hello, Xiaojie
Voice wake-up word-free	<ul style="list-style-type: none">•
Continuous speech recognition	<ul style="list-style-type: none">•
Car Intelligent Chip	<ul style="list-style-type: none">• Qualcomm Snapdragon 8155

Body

Length (mm)	4706
Width (mm)	1967
Height (mm)	1845
Wheelbase (mm)	2810
Front Track (mm)	1690
Rear Track (mm)	1700
Door Opening Type	swing door

Body (continued)

Number of Doors	5
Number of Seats	5
Fuel Tank Capacity (L)	70
Trunk volume (L)	-
Drag Coefficient (Cd)	-
Approach Angle (°)	28
Departure Angle (°)	29
Minimum ground clearance without load (mm)	200
Longitudinal passing angle (°)	19
Maximum wading depth (mm)	600

Gearbox

Abbreviation	1st DHT
Number of Gears	1
Transmission Type	Dedicated Hybrid Transmission (DHT)

Four-wheel drive/off-road

Trailer Power Outlet	○
Tow hook	Manual (3000 yuan)

Chassis steering

Drive Type	Front-engine, Front-wheel drive (FF)
Front Suspension Type	MacPherson independent suspension
Rear Suspension Type	Multi-link independent suspension
Power Steering Type	Electric power assistance
Vehicle structure	bearing type

Seat Configuration

Seat Material	• Imitation leather
Main seat adjustment	• Front and rear adjustment; • Backrest adjustment; • Height adjustment (2-way)
Co-seat adjustment method	• Front and rear adjustment; • Backrest adjustment
Electric adjustment of driver's seat and passenger seat	Main •/Deputy •

Seat Configuration (continued)

Front seat functions	• Heating; • Ventilation
Electric seat memory function	• driving position; • co-pilot position
Front passenger seat rear adjustable buttons	-
Second row seat adjustment	• Backrest adjustment
Rear seat folding	• Proportional down
Front/rear center armrest	Front •/Rear •
Rear cup holder	•

Active safety

Anti-lock Braking System (ABS)	•
Electronic Brakeforce Distribution (EBD/CBC)	•
Brake Assist System (EBA/BAS/BA)	•
Traction Control System (ASR/TCS/TRC)	•
Electronic Stability Control (ESC/ESP/DSC)	•
Tire Pressure Monitoring System (TPMS)	• Tire pressure display
Seat Belt Reminder	• Front row
ISOFIX Child Seat Anchors	•
Lane Departure Warning System (LDWS)	•
Autonomous Emergency Braking (AEB)	•
Driver Fatigue Detection	-
Forward Collision Warning (FCW)	•
Rear Collision Warning	•
Low Speed Alert	•
Emergency Call System (eCall)	•
Door Opening Warning (DOW)	•
Roll-Over Protection System	•

Air conditioning/refrigerator

Air conditioning temperature control method	• Automatic air conditioning
Rear Independent Climate Control	-
Rear seat air vents	•
Temperature zone control	•
Car air purifier	-
In-cabin PM2.5 Filter	-
In-car Refrigerator	○(USD 441)
Air quality monitoring	•

Passive safety

Driver/passenger airbag	Main •/Deputy •
Front/rear side airbags	Front •/Rear-
Front/rear head airbags (curtain airbags)	Front •/Rear •

Wheel brake

Front Brake Type	Ventilation disc
Rear Brake Type	Disc
Parking brake type	Electronic Parking
Front Tire Size	235/60 R19
Rear Tire Size	235/60 R19
Spare Tire Size	-

Audio/Interior Lighting

Speaker Brand Name	•SONY Sony
Number of speakers	• 9 speakers
Interior ambient lighting	• Multicolor
Active ambient lighting	•

Driving functions

Navigation traffic information display	•
Lane assist	•
Lane Keeping Assist System	•
Cruise control system	• Full speed adaptive cruise
Satellite navigation system	•

Driving functions (continued)

Driving assistance level	•L2
Rear Cross Traffic Alert	•
Lane centering	•
Road traffic sign recognition	•
Map Brand	• Gaud
Parking Assist	-

Exterior lighting

Low beam light source	•LED
High beam light source	•LED
LED daytime running lights	•
Adaptive high and low beam	•
Automatic headlights	•
Front fog lights	•LED
Height-adjustable headlights	•
Headlight Delay Off	•
Lighting features	• Matrix
Turn signal lamp	•

Exterior mirrors

Exterior mirror function	• Electric adjustment; • Electric folding; • Rearview mirror heating; • Automatic folding when locked
---------------------------------	---

Appearance/anti-theft

Rim material	• Aluminum alloy
Electric trunk	•
Electronic engine immobilizer	•
Central locking system in the car	•
Key Type	• Remote key; • Bluetooth key
Keyless start system	•
Keyless entry function	• Driving position
Electric trunk position memory	•
Roof rack	•

Appearance/anti-theft (continued)

Remote start function	<ul style="list-style-type: none">•
Battery preheating	<ul style="list-style-type: none">•
Discharge to the outside	<ul style="list-style-type: none">•
Side pedals	<ul style="list-style-type: none">• Fixed

Skylight/Glass

Sunroof Type	<ul style="list-style-type: none">• Openable panoramic sunroof
Front/rear electric windows	Front •/Rear •
One-touch window lifting function	<ul style="list-style-type: none">• Full vehicle
Window anti-pinch function	<ul style="list-style-type: none">•
Car makeup mirror	<ul style="list-style-type: none">• Main driver's lamp;• co-pilot's lamp
Rear wiper	<ul style="list-style-type: none">•
Rain sensor wiper function	<ul style="list-style-type: none">• Rainfall-sensing
Rear side privacy glass	<ul style="list-style-type: none">•
Side window multi-layer soundproof glass	<ul style="list-style-type: none">• Front row;• Rear row

Interior and exterior color

Exterior Color	Glacier White #F0F0F0 Extreme Night Black #000000 Snow Mountain Silver #C8C8C8 Castle Peak #A1C8C8 Sand gold #9D9F9C
Interior Color	Black Orange #000000 #EE9D65 Black Gray #000000 #AFAF AF Black Green #0A0A0A #5F746F

Steering wheel/interior mirror

Steering Wheel Material	<ul style="list-style-type: none">• Cortex
Steering wheel position adjustment	<ul style="list-style-type: none">• Manual up and down front and rear adjustment
Multi-function steering wheel	<ul style="list-style-type: none">•
Heated Steering Wheel	-
Steering wheel memory	-
Trip computer display screen	<ul style="list-style-type: none">• Color
Full LCD instrument panel	<ul style="list-style-type: none">•
LCD instrument size	<ul style="list-style-type: none">• 10.25 inches

Steering wheel/interior mirror (continued)

Interior rearview mirror function	<ul style="list-style-type: none">• Manual anti-glare
Gear shifting	<ul style="list-style-type: none">• Electronic gear shift

Intelligent configuration

Connected Car Services	<ul style="list-style-type: none">•
OTA Updates	<ul style="list-style-type: none">•
4G/5G Network	<ul style="list-style-type: none">•4G
Mobile APP remote function	<ul style="list-style-type: none">• Door control Window control Vehicle start Charging management Climate control Vehicle Condition Query Diagnosis Vehicle positioning Find car Appointment maintenance Maintenance
Wi-Fi hotspots	<ul style="list-style-type: none">•

Driving Control

Driving mode switch	<ul style="list-style-type: none">• Sport; • Economy; • Standard/Comfort; • Snow
Automatic parking	<ul style="list-style-type: none">•
Steep slope descent	<ul style="list-style-type: none">•
Hill start assist	<ul style="list-style-type: none">•
Energy recovery system	<ul style="list-style-type: none">•

Driving Hardware

Front/rear parking radar	Front •/Rear •
Driving Assistance Camera System	<ul style="list-style-type: none">• 360-degree panoramic image
Front perception camera	<ul style="list-style-type: none">• Monocular
Number of cameras	<ul style="list-style-type: none">• 5
Number of ultrasonic radars	<ul style="list-style-type: none">• 6
Transparent chassis/540-degree imaging	<ul style="list-style-type: none">•
Millimeter wave radar quantity	<ul style="list-style-type: none">• 2

In-car charging

Multimedia/charging port	<ul style="list-style-type: none">•USB;•Type-C
Number of USB/Type-C ports	<ul style="list-style-type: none">• 2 in the front row/2 in the back row
Mobile phone wireless charging function	<ul style="list-style-type: none">• Front row

In-car charging (continued)

220V/230V power supply	•
Luggage compartment 12V power socket	•
Mobile phone wireless charging power	•50W

Optional Package

Optional Package	Drag Suit (3000 yuan Contains 1600kg Trailer qualification Trailer hitch Power inlet)
-------------------------	---

"●" = Standard equipment

"-" = Not available

"○" = Optional equipment.

Note: These are Chinese market vehicles. Warranty coverage is not available outside of China.